1: Childs M-5 (1924-1940) 1949 FP13 Mbundu FP

PLATE IV

341

a. A new village (*itula*) near Elende

343

Photo. *M. W. Ennis*

b. A granary (*onila*), also used as a guest house

[facing p. 33]

1: Childs M-5 (1924-1940) 1949 FP 13 Mbundu FP 13

PLATE V

245



Photo. R. S. Webb

b. Hulling coffee (Bailundu Mission)

341



Photo. R. S. Webb

a. An Ekele village

[Facing p. 48]

3: Hambly E-5 (1929-1930) 1934 FP13 Mbundu FP13

338 feet. A trench about eighteen inches deep is dug for the poles (*akoso*), which form the framework. The wattle work is tied to the uprights with strong strips of red bark before the plastering is begun. 341 The old type of Umbundu house was round, but most of the houses 171 now show a transition to square or rectangular forms (Plate XLIV, Fig. 2).

[531] Exterior wall-painting is found only in the northern districts of Angola (Plate LXXXIX, Fig. 2). Between Saurimo and Malange in the north, rectangular, painted houses are frequently seen. Wall-painting is a cultural trait from the Congo region where that form of decoration is common.

796 621 The method of forming a village site and the right of the chief to allot land have been described. The house of the chief is the first to be erected. There is drinking of beer to celebrate the completion of the village, and the pots of beer have to be stirred with the claws of chickens; these have been killed to provide blood for sprinkling the walls of the new houses. Village chiefs go through the process of stirring and drinking. The medicine-man drinks first, then he offers the cup to the chief.

344 476 [485] 644 The communal house is built by the united efforts of all men of the village. Ngonga says, "The king never helps with any of the building, but he talks very much." The guest house is also built by communal labor. The king of the *ombala* of Ngalangi told me that a king always uses the house of his predecessor, which must not be pulled down. No repairs are permitted and the house is used until it is absolutely untenable.

354 342 The interior of a commoner's house has three hearth stones in the middle of the floor, which is of hard mud beaten down with a heavy wooden implement called *ocikandulo*. The ceremonial placing of the stones has been described in discussing marriage. There is no chimney, consequently the walls and roof are blackened with smoke. The junction of roof and walls provides pockets for the reception of small articles. On the floor near the walls may be several large beer pots. The dark smoky interior is almost intolerable. The sleeping 352 room is sometimes separated from the living room by matting. The bed is made from a cross-work of sticks supported on four Y-shaped posts, one at each corner. On the bed are coarse sleeping mats and possibly a modern blanket.

356 252 The miscellaneous contents of the hut are gourds, dippers, cooking pots of several sizes, pounders, and baskets. In many of the huts I found cooking going on in the general room, but frequently a sepa-